CE-ART 7/G+ guard unit

Reference: CE-ART 7/G+
Product code: 12379703
EAN code: 8429898024608



Main characteristics

- TCP/IP protocol "G+" digital installation.
- Housing made of white ABS plastic.
- 7" touch screen.
- Surface or desktop installation with SOB-UNI support.
- High efficiency speakers.

Dimensions: 262(W) x 154(H) x 31(D) mm.

More information

- Virtual keyboard for call dialing.
- Call to other monitors or concierge units.
- Image memory and call list.
- Outdoor panel tracking function and CCTV IP camera tracking.
- Direct door opening button.
- Messaging service for short text messages and emergency broadcast messages.
- Monitoring of ONVIF protocol CCTV cameras (up to 32).
- Camera for viewing from tenants to janitor during conversation.
- Notification of alarms that have occurred in apartments.
- Event registration.
- Connection via RJ-45 connector.

Visit in the website: https://www.golmar.es/products/ce-art-7-g-plus

Golmar Sistemas de Comunicación S.A.
Silici 13 • 08940 Cornellà de Llobregat (Barcelona) • Tel: +34 934 800 696 • golmar@golmar.es • www.golmar.es

CE-ART 7/G+ guard unit

Specifications	
Type of device	Video
Serie	ART
Mounting	Surface
Audio of communication	Dual handset hands-free
Call type	Call forwarding,Individual call
Vocal messages	Yes
Available languages	English,Spanish,Portuguese
Ringtones	6
Speaker power (W)	1.5
Intercom	All the installation
Integrated camera	No
Integrated WiFi	No
Remote Access / App	Web
Operation	Touch Screen
Inductive loop	No
Guidance LEDs	Yes
Size (inches)	7
Resolution	1024x600 px
Minimum illumination (lux)	420
Response time (ms.)	25
Number of colors (Mill.)	16.7
Video format	HDTVI
Format / Video Compression	H.264
Log of calls	Yes
Management software	Yes
Programming	Computer,From the own device
HW platform	Android
Protocols	TCP / IP
Internal storage	100 images
Memory Image	Yes
Volume settings.	1
Input voltage (V)	12Vcc,PoE,18Vcc
Requires additional feeder	No
Rest consumption (W)	4.4
Max. consumption (W)	6.5
Installation	UTP
Max. (M)	100
Compatibility	ONVIF,Golmar,IP SIP,VoIP
Technology	IP G +
Functions	Do not disturb,Date - On-screen,Auto start,Lift control
Inputs	HZ
Outputs	Auxiliary ringer,12Vdc
Removable connectors	Yes
Built-in microphone	Yes
Microphone sensitivity (DB)	40
Certifications	CE, ROHS
Degree of protection (IP)	30
Relative humidity work (max.)	90
Relative humidity Work (min.)	10
Maximum working temperature (ºC)	55
Minimum working temperature (ºC)	-10
Mounting frame included	Yes
Material	ABS plastic
Dimensions - Width (mm)	262
Dimensions - High (mm)	154
Dimensions - Deep (mm)	31
Colour	White
Weight (gr.)	500

Accessories

- SOB-UNI table stand

Visit in the website: https://www.golmar.es/products/ce-art-7-g-plus

Golmar Sistemas de Comunicación S.A.
Silici 13 • 08940 Cornellà de Llobregat (Barcelona) • Tel: +34 934 800 696 • golmar@golmar.es • www.golmar.es

Visit in the website: https://www.golmar.es/products/ce-art-7-g-plus

Golmar Sistemas de Comunicación S.A.
Silici 13 • 08940 Cornellà de Llobregat (Barcelona) • Tel: +34 934 800 696 • golmar@golmar.es • www.golmar.es